



**EAN:** 4013288181169

**Part number:** 05030080001

**Article number:** 1572 ESD

**Size:** 157x13x13 mm

**Weight:** 13 g

**Country of origin:** CZ

**Customs tariff number:** 82054000



- Screwdriver for Microstix® screws
- ESD-safe tool thanks to surface resistance of  $< 10^9 \Omega$
- Ergonomic Kraftform handle for pleasant and low-fatigue working
- The Wera Black Point tip offers an exact fit and optimum corrosion protection
- Take it easy tool finder: colour coding according to profile and size

ESD-safe screwdriver for Microstix® screws. Dependable protection against electrostatic energy and associated damage. Comes with an ergonomic Kraftform Micro handle for pleasant and low-fatigue working and Black Point tip for high corrosion protection. "Take it easy" tool finder with colour coding according to profiles and size stamp – for simple and rapid accessing of the required tool.

### Web link

[https://products.wera.de/en/screwdrivers\\_esd\\_series\\_1572\\_esd.html](https://products.wera.de/en/screwdrivers_esd_series_1572_esd.html)

Wera - 1572 ESD

05030080001 - 4013288181169

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)

### Wera ESD Tools



The requirements for ESD-safe screwdrivers are specified in the European standard DIN EN 61340-5-1. This standard also includes a handle that has to be out of a defined conductive material. The Wera products in the ESD series satisfy these standards and the even more stringent requirements demanded by some technology companies.

### High protection




The electric surface resistance of the Wera ESD material is  $\leq 10^9$  ohm. This securely protects components against electrostatic energy and associated damage.

### Kraftform Micro Handle




Multi-component screwdriver handle for ergonomic working.

### The power zone




The power zone has integrated soft zones near the blade tip to ensure high torque transfer for loosening or tightening screws without losing contact with the screw.

### The precision zone



The precision zone directly above the blade gives the user a better feel for the right rotation angle during fine adjustment work.

### The fast-turning zone




The fast-turning zone just below the rotating cap allows rapid twisting.

### Rotating cap and fast-turning zone



The fast-turning zone just below the rotating cap allow rapid twisting. This makes time-consuming grip adjustments as with other conventional precision screwdrivers unnecessary.

### "Take it easy" Tool Finder



Screwdrivers with "Take it easy" tool finder: colour coding according to profile and size stamp.

### Web link

[https://products.wera.de/en/screwdrivers\\_esd\\_series\\_1572\\_esd.html](https://products.wera.de/en/screwdrivers_esd_series_1572_esd.html)

Wera - 1572 ESD

05030080001 - 4013288181169

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)

Further versions in this product family:



mm



mm



mm



inch

05030080001	m	40	97	2.5	1 9/16
05030081001	00	40	97	2.5	1 9/16
05030082001	F	40	97	2.5	1 9/16
05030083001	0	40	97	2.5	1 9/16
05030084001	1	40	97	2.5	1 9/16

## Web link

[https://products.wera.de/en/screwdrivers\\_esd\\_series\\_1572\\_esd.html](https://products.wera.de/en/screwdrivers_esd_series_1572_esd.html)

Wera - 1572 ESD

05030080001 - 4013288181169

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)